

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|--|----------------|----------------------|-------------------------|------------------|
| 10/750,798 | 01/05/2004 | Shinichi Mihara | 12577/27 | 1831 |
| 7 | 590 02/10/2005 | | EXAMINER | |
| KENYON & KENYON | | | HASAN, MOHAMMED A | |
| 1500 K Street, N.W., Suite 700 Washington, DC 20005 | | | ART UNIT | PAPER NUMBER |
| washington, DC 20003 | | | 2873 | |
| | | | DATE MAILED: 02/10/2009 | S |

Please find below and/or attached an Office communication concerning this application or proceeding.

| | | Ak_/ | |
|--|--|---|---|
| • | Application No. | Applicant(s) | |
| | 10/750,798 | MIHARA ET AL. | |
| Office Action Summary | Examiner | Art Unit | _ |
| | Mohammed Hasan | 2873 | _ |
| The MAILING DATE of this communication appeariod for Reply | pears on the cover sheet w | vith the correspondence address | |
| A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a repl If NO period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b). | 136(a). In no event, however, may a ly within the statutory minimum of thi will apply and will expire SIX (6) MO e, cause the application to become A | reply be timely filed rty (30) days will be considered timely. NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133). | |
| Status | | | |
| Responsive to communication(s) filed on 2a) ☐ This action is FINAL. 2b) ☐ This 3) ☐ Since this application is in condition for alloware closed in accordance with the practice under Expression in the practice of the condition of the practice of the condition of the | s action is non-final. nce except for formal ma | • • | |
| Disposition of Claims | | | |
| 4) ⊠ Claim(s) <u>1 - 34</u> is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) ⊠ Claim(s) <u>1 - 14, 16, 17, 31 - 34</u> is/are allowed. 6) ⊠ Claim(s) <u>15, 18, 19, 21, 23 - 24,26, 30</u> is/are reference claim(s) <u>20, 22, 25, 27 - 29</u> is/are objected to 8) □ Claim(s) are subject to restriction and/or | wn from consideration. ejected. | | |
| Application Papers | | | |
| 9) ☐ The specification is objected to by the Examine 10) ☑ The drawing(s) filed on 05 January 2004 is/are Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the Example 11. | : a)⊠ accepted or b)□ o drawing(s) be held in abeya tion is required if the drawing | nce. See 37 CFR 1.85(a). g(s) is objected to. See 37 CFR 1.121(d). | |
| Priority under 35 U.S.C. § 119 | | | |
| a) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureau * See the attached detailed Office action for a list | ts have been received. Is have been received in A rity documents have beer u (PCT Rule 17.2(a)). | Application No received in this National Stage | |
| | | | |
| Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 1/5/2004. | Paper No | Summary (PTO-413) s)/Mail Date nformal Patent Application (PTO-152) | |

Application/Control Number: 10/750,798

Art Unit: 2873

DETAILED ACTION

Priority

1. Receipt of acknowledged of papers submitted under 35 U.S.C. 119 (a) – (d), which papers have placed of record in the file.

Oath/Declaration

2. Oath and declaration filed on 6/8/2004 is accepted.

Information Disclosure Statement

3. The prior art documents submitted by applicant in the Information Disclosure Statement filed on 1/5/2004 have all been considered and made of record (note the attached copy of form PTO – 1449).

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

⁽b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Application/Control Number: 10/750,798

Art Unit: 2873

Claim 15, 21, 23, 24, 26 and 30 are rejected under 35 U.S.C. 102 (b) as being anticipated by Nozaki et al (5,193,030).

Regarding claim 15, Nozaki et al discloses (refer to figure 8) a zoom lens comprising: a first lens unit (lenses 101 and 102) with positive refractive power, located at a most object-side position, a second lens unit (lenses 103 and 104) with a negative refractive power, located on an image side of the first lens unit and a third lens unit (lenses 105 and 106) with a positive refractive power, located on the image side of the second lens unit, wherein the first lens unit has two aspherical surface and when a magnification of the zoom lens is changed in a range from a wide-angle position to a telephoto position, the second lens unit is moved and the third lens unit is simply moved toward an object side (column 3, lines 54 – 62, column 6, lines 8 – 15, Example 1, i.e., second and third lens moving toward an object as shown in figure 8).

Regarding claim 21, Nozaki et al discloses (refer to figure 8) wherein the second lens unit (elements 103 and 104) includes, in order from the object side along an optical path, a biconcave lens (103) and a positive lens (104) (Example 1).

Regarding claim 23, Nozaki et al discloses (refer to figure 8) wherein a lens unit (i.e., lens element 107) is movable for focusing is placed on the image side of the third lens unit (column 6, lines 8 – 18).

Regarding claim 24, Nozaki et al discloses (refer to figure 8) wherein a most object-side lens unit (i.e., lenses 101 and 102) is substantially fixed with respect to an image plane (Examples 1).

Regarding claim 26, Nozaki et al discloses (refer to figure 1) wherein an aperture stop fixed with respect to an image plane is interposed between the second lens unit (22) and the third lens unit (23) and one prism (25) and three or less single lenses are arranged on the object side of the aperture stop (column 4, lines 30 – 49).

Regarding claim 30, Nozaki et al discloses (refer to figure 8) a zoom lens comprising: a first lens unit with positive refractive power, located at a most object-side position, a second lens unit with a negative refractive power, located on an image side of the first lens unit and a third lens unit with a positive refractive power, located on the image side of the second lens unit, wherein the first lens unit has two aspherical surface and when a magnification of the zoom lens is changed in a range from a wide-angle position to a telephoto position, the second lens unit is moved and the third lens unit is simply moved toward an object side, the image processing unit (i.e., 108 is an image formed) steps that image data imaged by the electronic image sensor are electrically processed and contour is changed (column 3, lines 54 – 62, column 6, lines 8 – 19, Example 1).

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

⁽e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States

Application/Control Number: 10/750,798

Art Unit: 2873

only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 18 and 19 are rejected under 35 U.S.C. 102 (e) as being anticipated by Ishii et al (6,744,571 B2).

Regarding claim 18, Ishii et al discloses (refer to figures 1a and 1b) a zoom lens comprising: a first lens unit (G1) with positive refractive power, located at a most object-side position, a second lens unit (G2) with a negative refractive power, located on an image side of the first lens unit and a third lens unit (G3) with a positive refractive power, located on the image side of the second lens unit, wherein the second lens unit (G2) and the third lens unit (G3) have four aspherical surfaces and when a magnification of the zoom lens is changed in a range from a wide-angle position to a telephoto position, the second lens unit is moved and the third lens unit is simply moved toward an object side (column 14, lines 36 – 47, examples 1 - 3).

Regarding claim 19, Ishii et al discloses (refer to figures 1a and 1b) a zoom lens comprising: a first lens unit (G1) with positive refractive power, located at a most object-side position, a second lens unit (G2) with a negative refractive power, located on an image side of the first lens unit and a third lens unit (G3) with a positive refractive power, located on the image side of the second lens unit, wherein each of the second lens unit (G2) and the third lens unit (G3) has two aspherical surface and when a magnification of the zoom lens is changed in a range from a wide-angle position to a telephoto position, the second lens unit is moved and the third lens unit is simply moved toward an object side (column 14, lines 36 – 47, examples 1 - 3).

Application/Control Number: 10/750,798 Page 6

Art Unit: 2873

Allowable Subject Matter

- 6. Claims 1 14, 16, 17, and 31 34 are allowed.
- 7. The following is an examiner's statement of reasons for allowance: The prior art taken either singularly or in a combination fails to anticipate or fairly suggest the limitations of the independent claims, in such a manner that a rejection under 35 U.S.C. 102 or 103 would be proper. The prior art fails to teach a combination of all the claimed features as presented in independent claims 1, 14, 16, 17, 31 and 34, for example, which include a zoom lens having a lens unit located at a most object - side position, a moving lens unit with positive refractive power located on an image side and the moving lens unit moved toward the object side when a magnification of the zoom lens changed from wide angle to telephoto end and the satisfy the following condition: $0.8 < y_{07}$ / (f_w . $\tan \omega_{07w}$) < 0.96, where f_w is a focal length of an entire system of the zoom lens at the wide-angle position, y_{07} is an image height expressed by 0.7 x y_{10} , where y_{10} is a distance from a center to a point farthest therefrom on an effective imaging surface of an electronic image sensor, and ω_{07w} is an angle made by a direction of an object point with an optical axis, where the object point corresponds to an image point that is at the point y₀₇ away from the center on the effective imaging surface of the electronic image sensor at the wide angle position (claims 1 and 14); and the first lens unit and the second lens unit have four aspherical surfaces (claims 16 and 17); and the first lens unit has a reflecting surface and a magnification of the zoom lens changed from a wideangle to a telephoto position, the second lens unit is moved and the third lens unit

moved toward an object side and to satisfy the following conditions: - $1.0 \le \beta 2$ W \le - 0.40, - $1.0 \le \beta 3$ W \le - 0.40 where $\beta 2$ W is the magnification of the second lens unit at the wide-angle position and $\beta 3$ W is the magnification of the third lens unit at the wide-angle position (claims 31 and 34).

- 8. Claims 20, 22, 25, and 27 29 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
- 9. The following is a statement of reasons for the indication of allowable subject matter: The prior art fails to show third lens unit includes, in order from the object side along an optical path, an optical element of divergence and appositive lens, and third lens unit includes, a single positive lens, a cemented lens component of a positive lens and a negative lens with a concave surface of strong power, an aperture stop is fixed with respect to an image plane is interposed between the second lens unit and third lens unit, one prism and three or single lenses are arranged on the object side of the aperture stop, the second lens unit and the third lens unit are adjacent to each other. with an aperture stop between the second lens unit and the third lens unit and satisfy the following condition: 0.50 < D3 / D2 < 1.40, where D2 is a distance, measured along an optical axis, from a vertex of a most image- side surface of the second lens unit to the aperture stop at the wide-angle position and D3 is a distance, measured along the optical axis, from the aperture stop to the vertex of a most object-side surface of the third lens unit at the wide-angle position, and the following condition: $0.8 < y_{07}$ / (f_w . tan ω_{07w}) < 0.96, where f_w is a focal length of an entire system of the zoom lens at the

wide-angle position, y_{07} is an image height expressed by $0.7 \times y_{10}$, where y_{10} is a distance from a center to a point farthest therefrom on an effective imaging surface of an electronic image sensor , and ω_{07w} is an angle made by a direction of an object point with an optical axis, where the object point corresponds to an image point that is at the point y_{07} away from the center on the effective imaging surface of the electronic image sensor at the wide angle position.

10. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The closest prior art

Hagimori et al (6,728,482 B2) discloses an imaging device and digital camera using the image device.

Yamasita (4,059,344) discloses a retrofocus- type objective for endoscopes.

Conclusion

11. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mohammed Hasan whose telephone number is (571) 272-2331. The examiner can normally be reached on M-TH, 7:00 AM to 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Georgia Epps can be reached on (571) 272- 2328. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/750,798 Page 9

Art Unit: 2873

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MH

February 3, 2005

Georgia Epps Supervisory Patent Examiner

Technology Center 2800